

4th INTERNATIONAL SYMPOSIUM ON THE

BI-DIGITAL O-RING TEST

第4回バイ・デジタル O-リングテスト

国際シンポジウム

Program & Abstracts

プログラム・アブストラクト

 *-Ring Test*

July 21-23, 2000 Ibuka Auditorium, Waseda University, Address Tokyo, Japan

2000年7月21日～23日 早稲田大学国際会議場 井深大記念ホール

Biological Response Modifier (BRM)製剤のHIV患者に対する有効性

広部千恵子Ph.D.*、古川みどりM.D., Ph.D.**、福原信子D.D.S.***、下津浦康裕M.D.,
F.I.C.A.E.****

*清泉女子大学文化史学科教授、東京**東京女子医大附属青山病院、東京***福原歯科、東京****下津浦クリニック、久留米

目的 熱処理Enterococcus faecalis (EF2001)の製品はといわれ、BRM (Biological Response Modifier) と省略される。BRMは、マクロファージや好中球に対する活性があり、前回の学会では、Enterococcus faecalisの熱処理死菌を服用して腫瘍に効果があったことを発表した。今回、この菌の他の効果についても報告したい。

患者の症例 本患者は1986年～7年にかけて何度かの性交渉をもち、1995年にHIV特有の症状が現れ、以来Crixivan, Eпивir, Retrovirを服用する。患者がクリニックを訪れたのは1997年の末で、その時患者はカポジ肉腫で全身を覆われていた。

甲状腺と脾臓にHIVの共鳴が診られ、バイディジタルオーリングテスト*によりプロポリス、中国パセリと林原製の少量のインターフェロン舌下錠を与えた。患者の自覚症状の改善があまり見られなかったため、日本ベルム社製の生体応答調節物質 (BRM) 製剤を与えた。これは、Enterococcus faecalis (EF2001)の熱殺菌した菌体である。結果はグラフに示す通りであった。

結果 患者は前記菌体摂取後自覚的に非常に元気になったように思うと言った。ウィールス量も次第に下がってきた。しかし、CD4およびCD8の値が高くなると、ウィールス量も上がってしまった。時折400以下(測定不能値)になることがあっても直ぐに高くなった。2年間比較的良好な状態ではあったが、このような状態に留まり、ついに最近の5ヶ月はずっとウィールス測定不可の状態が続き、バイディジタルオーリングテストによっても観察されていない。我々はこの好結果が前記菌体によるかどうかは確かではない。HIVに対する前記3つの薬剤も引き続き投与されていたし、この5ヶ月はオーストラリア産のレモンマートルも投与したし、患者はニュージーランド産の蜂蜜も2度服用している。しかし、BRM製剤投与後、患者の健康状態は良好であり、カポジ肉腫も消失したことだけは事実である。今後の推移と新たな例の検討を続けたい。

*Omura Y., Acupunct. Electro-ther. Res., 6, 239-254, 1981

連絡先：〒141-8642品川区東五反田3-16-21 清泉女子大学

広部千恵子

Beneficial Effect of Biological Response Modifier (BRM) Preparation on HIV Patient

C. Hirobe, Ph.D.* , M. Furukawa M.D.,Ph.D.** , N.Fukuhara D.D.S.*** and Y. Shimotsuura M.D.,F.I.C.A.E.****

* Prof. Department of Cultural History, Seisen University, Tokyo **Tokyo Women's Medical University, Tokyo ***Fukuhara Dental Clinic, Tokyo ****Shimotsuura Clinic, Kurume

It is known that a heat-killed *Enterococcus faecalis* F1201 preparation is a biological response modifier (hereafter it is to be referred to as BRM) with various activities and shows activation of macrophages etc. We have reported in the previous congress that the BRM preparation was effective against tumors.

In this congress, we would like to report another effect of BRM preparation.

Case: It was toward the end of 1997 when the patient came to the Clinic. From 1986 to 1987, he had sexual contacts. In 1995, some symptoms of the disease (HIV) appeared. From that time, he began taking Crixivan(Indinavir sulfate ethanolate), Eпивir(Lamivudine) and Retrovir(Zidovudine) everyday. When he visited the clinic, he was covered with Kaposi's sarcoma.

According to Bi-Digital O-Ring Test*, the resonance peculiar to HIV was detected in his thymuses and the spleen. According to Bi-Digital O-Ring Method, propolis, Cilantro and a small amount of Interferon (from Hayashibara) were given.

The result was not so good, and we added to them the BRM preparation from Nihon Berum. The results are shown in the graph.


Conclusion: When CD4 and CD8 of the patient showed a high value, his amount of virus also increased. From time to time, his amount of virus falls below 400. That means that it is undetectable by the current method. However, an amount of virus became soon high as is shown in the graph. 2 years have passed in a similar situation and finally the amount of virus fell under 400 for 5 consecutive months (undetectable also by Bi-Digital O-Ring Test). We are not sure whether this effectiveness is because of BRM preparation or not. He took the above 3 kinds of medicine. He has also taken Lemon myrtle from Australia for the last 5 months and also eaten honey from New Zealand twice. But we can say at least that after giving BRM preparation, he is in better health than he was before and Kaposi's sarcomas have almost disappeared.

*Omura Y., Acupunct. Electro-ther. Res., 6,239-254, 1981

Correspondence: Send to Chieko Hirobe

Seisen University, 3-16-21 Higashi Gotanda, Shinagawa-ku, Tokyo, Japan 141-8642

CD4, CD8 and Virus



CD4, CD8 And Virus After Taking BRM

